



Part Number	Description	Unit Price (GBP)
Wireless Dimmer Modules - Mains Trailing Edge (Dimmable LED lamps & drivers)		
RMT-500	Trailing edge 500W ceiling mount dimmer external aerial. Ideal for mains dimmable LED lighting loads. Quiet dimming and built-in short circuit protection.	£133.00
RMT-500BLK	Trailing edge 500W in-line dimmer internal aerial. Ideal for mains dimmable LED lighting loads. Quiet dimming and built-in short circuit protection.	£133.00
RMT-1200	Trailing edge 1200W ceiling mount dimmer external aerial. Ideal for mains dimmable LED lighting loads. Quiet dimming and built-in short circuit protection.	£205.00
RMT-PILL	Trailing edge 250W back-box dimmer external aerial. Ideal for mains dimmable LED lighting loads. Quiet dimming and built-in short circuit protection.	£120.00
Wireless Dimmer Modules - Mains Leading Edge		
RML-250	Leading edge 250W ceiling mount dimmer external aerial. For mains dimmable halogen or magnetic/wire-wound transformer lighting loads.	£111.00
RML-500	Leading edge 500W ceiling mount dimmer external aerial. For mains dimmable halogen or magnetic/wire-wound transformer lighting loads.	£133.00
RML-1200	Leading edge 1200W ceiling mount dimmer external aerial. For mains dimmable halogen or magnetic/wire-wound transformer lighting loads.	£205.00
Wireless Switching, DMX, DSI, DLI & 0-10v Modules		
RMS-800	Switching 800W ceiling mount module external aerial. Suitable for all mains non-dimmable loads.	£97.00
RDA-800	Universal control module for 0-10v, DSI & DLI broadcast lighting loads. 800W ceiling mount external aerial.	£160.00
RSR-DMX	15 channel DMX control module external aerial. Suitable for all DMX controllable lighting loads.	£211.00
RSR-DLI	15 channel DLI (Digital Lighting Interface) control module external aerial. Suitable for all Digital Addressable Lighting Interface loads compatible with EN62386. Includes 18vdc power supply.	£343.00
Wireless LED Dimmer Modules - Constant Current & Constant Voltage		
RLED45CC1	Wireless single channel 45w constant current dimming module. Up to 13 LEDs can be connected in series to a maximum of 45w. Selectable outputs of 350, 500, 600, 700 and 1000mA with a forward voltage range of 3-45V DC. Requires a suitable external power supply such as the Rako RAPSU48.	£134.00
RLED20CC3	Wireless three channel (RGB) 20w/channel constant current LED dimmer module. For control of 3 channel constant current LED fittings with selectable outputs of 350, 500, 600 and 700mA. Requires a suitable external power supply such as the Rako RAPSU48.	£158.00
RLED20+CC4	Wireless four channel (RGBW) 20w/channel constant current LED dimmer module. For control of 4 channel constant current LED fittings with selectable outputs of 350, 500 and 700mA. Requires a suitable external power supply such as the Rako RAPSU48.	£158.00
RAPSU48	48v 60W DC supply for use with RLED20CC3 and RLED45CC1	£45.00
RLED75CV1	Wireless single channel/colour, 75W constant voltage dimming LED module. (1)	£134.00
RLED150CV1	Wireless single channel/colour, 150W constant voltage dimming LED module. (1)	£198.00
RLED30CV4	Wireless three or four channel/colour, 30W per channel, (RGBW) constant voltage LED dimming module. (1)	£159.00
RLED30SLAVE	Three or four channel/colour booster module for extending RLED30CV4 & WLED30CV4. (1)	£118.00
Wireless Curtain, Screen & Blind Modules		
RACUB	Twin relay motorised curtain/screen/blind control module internal aerial. Universal controller fitted with two volt-free changeover relays that can be configured to suit most conventional motors.	£167.00
RACUB2L	Mains voltage motorised curtain/screen/blind control module internal aerial. For use with curtain, screen and blind motors that have a Neutral, Live1, Live2 & Earth connection.	£167.00
RACUB24DC	Low voltage motorised curtain/screen/blind control module internal aerial. For use with curtain, screen and blind motors that have a 24vdc Positive and Negative 2-wire connection.	£167.00

Part Number	Description	Unit Price (GBP)
Wireless System Accessories		
RAMPI	USB programming tool for RASOFTpro. Allows commissioning of Rako wireless system components. NFC enabled device, required for configuration of RNCxxx, RCI-7M and RCI-4L wireless wall controllers.	£139.00
WRB100	Rako RAKOM wireless signal repeater module. Includes power supply.	£190.00
RMR-VF	Wireless system interface for up to ten volt-free contact closure inputs. Includes power supply.	£196.00
RAMVR	Wireless system interface for a single mains-voltage or volt-free input. Ideal for interfacing with a mains indoor or outdoor PIR sensor. Mains powered.	£130.00
RAPIR	Wireless 360° ceiling mounted PIR sensor with integral daylight sensor. Mains powered.	£176.00
RAPSU	Mains power supply for battery-less wireless wall controllers and interface units	£40.00
Hubs & Bridges - Ethernet, Cloud & RS232 Control Interfaces		
RK-HUB	Wireless ethernet HUB for interfacing with Rako wireless system components. Desktop design or wall mountable with bracket included. Includes a 365 day calendar for automated scene scheduling, holiday simulation modes, macros/sequences, conditional mapping and other advanced functions. Configured using the RASOFTpro commissioning tool. NFC pad within the unit enables programming of Rako NFC products. Includes the my.rakocontrols.com cloud interface for integrating Rako systems with IoT enabled devices such as Amazon Echo (Alexa), GoogleHome and Apple HomeKit. Works With SONOS certified. Control from iOS and Android devices using the free Rako App. Includes mains plug-top power supply.	£275.00
WK-HUB	Wired ethernet HUB for interfacing with Rako wired and wireless system components. Desktop design or wall mountable with bracket included. Includes a 365 day calendar for automated scene scheduling, holiday simulation modes, macros/sequences, conditional mapping and other advanced functions. Configured using the RASOFTpro commissioning tool. NFC pad within the unit enables programming of Rako NFC products. Includes the my.rakocontrols.com cloud interface for integrating Rako systems with IoT enabled devices such as Amazon Echo (Alexa), GoogleHome and Apple HomeKit. Works With SONOS certified. Control from iOS and Android devices using the free Rako App. Connects to and powered from a RAK-LINK or RAK-STAR via RAKOM RJ11 port (lead included).	£375.00
WRA-232	Bi-directional serial RS232 & TCP IP interface. Can be used with wired and wireless system components. Allows bi-directional interfacing to third party control systems using ASCII strings. Includes mains plug-top power supply.	£225.00
RLC Wireless Handheld Enclosure & Cover Plate Kits (5)		
RLC-020	2 button enclosure with brushed stainless steel cover for an RCM/RNC020 wireless module	£30.00
RLC-030	3 button enclosure with brushed stainless steel cover for an RCM/RNC030 wireless module	£30.00
RLC-060	6 button enclosure with brushed stainless steel cover for an RCM/RNC060 wireless module	£30.00
RLC-070	7 button enclosure with brushed stainless steel cover for an RCM/RNC070 wireless module	£30.00
RLC-100	10 button enclosure with brushed stainless steel cover for an RCM/RNC100 wireless module	£30.00
Wireless Switch Interface Modules - NFC Configurable (requires RAMPI dongle)		
RCI-4L	Configurable wireless transmitter module allowing interfacing to 4 latching switches (switches not included). Each switch can be configured for scene or channel control in any project rooms or a schedule of events using macros. Complete with 1x CR2032 lithium battery	£115.00
RCI-7M	Configurable wireless transmitter module allowing interfacing to 7 momentary push switches (switches not included). Each switch can be configured for scene or channel control in any project rooms or a schedule of events using macros. Complete with 1x CR2032 lithium battery	£115.00

Part Number	Description	Unit Price (GBP)
Wired System Controllers & Centrally Mounted RAK Dimmers		
RAK8-MB	8 Channel modular dimming rack motherboard. 8 individual channel "slots" allow complete flexibility of controlled load when fitted with WMT-400, WDA-600, WMS-600 & WMS-CUB control cards (not included). Stackable with other RAK8 units. Requires RAK-LINK for wired or RX-LINK for wireless systems.	£392.00
WMT-400	Trailing edge 400W RAK8 control card dimmer. Ideal for mains dimmable LED lighting loads. Quiet dimming and built-in short circuit protection. (2) (4)	£98.00
WML-300	Leading edge 300W RAK8 control card dimmer. Ideal for mains dimmable wire wound (inductive) low voltage transformer fed loads.(2)	£98.00
WDA-600	Universal RAK8 control card dimmer for 0-10v, DSI & DLI broadcast lighting loads. 600W maximum loading. (2)	£98.00
WMS-600	Switching 600W RAK8 control card module external. Suitable for all mains non-dimmable loads. (2)	£86.00
WM-CUB	Twin relay motorised curtain/screen/blind RAK8 control card module. Universal controller fitted with two volt-free changeover relays that can be configured to suit most conventional motors. (2)	£98.00
RAK-LINK	Wired-system connection unit for use with RAK-4 system components. Complete with power supply for Rako wired WCM panels and WSR controllers. Up to 4x RAK8-MB or 8x RAK-4 units can be connected. (32 channels maximum).	£365.00
RAK-STAR	18-way star CAT5e/6 distribution unit. Allows multiple runs of CAT cable to be connected at a single position. (not required when loop-in loop-out panel wiring is implemented)	£303.00
RX-LINK	Wireless-system connection unit for use with RAK-4 system components. Allows wireless control from RCM/RNC panels. Up to 2x RAK8-MB or 4x RAK-4 units can be connected. (16 channels maximum).	£210.00
RAK4-T	4 Channel trailing-edge dimming rack. Ideal for mains dimmable lighting loads. Quiet dimming with electronic transformers and built-in short circuit protection. Stackable with other RAK4 units. Requires RAK-LINK for wired or RX-LINK for wireless systems.	£581.00
RAK4-F	4 Channel dimming rack for 0-10v, DSI & DLI broadcast lighting loads. Can also be used for mains non-dimmable loads. Stackable with other RAK4 units. Requires RAK-LINK for wired or RX-LINK for wireless systems.	£558.00
RAK4-R	4 Channel, twin relay curtain and blind rack. Universal controller fitted with twin volt free change over relays. Stackable with other RAK4 units. Requires RAK-LINK for wired or RX-LINK for wireless systems.	£595.00
WSR-DMX	Wired-system 15 channel DMX control module. Suitable for all DMX controllable lighting loads.	£211.00
WSR-DLI	Wired-system 15 channel DLI (addressable) control module. Suitable for all Digital Addressable Lighting Interface loads compatible with EN62386.	£343.00
Wired System LED Dimmer Modules - Constant Voltage		
WLED30CV4	Wired-system four channel/colour, 30W per channel, (RGB + White) constant voltage LED dimming module. Can be used with RLED30SLAVE when additional quantities of LEDs are being dimmed. (1)	£169.00
WLED75CV1	Wired-system single channel/colour, 75W constant voltage dimming LED module. (1)	£146.00
WLED150CV1	Wired-system single channel/colour, 150W constant voltage dimming LED module. (1)	£209.00

Part Number	Description	Unit Price (GBP)
Wired System Accessories		
WAVFR	Wired system interface for up to ten volt-free contact closure inputs. Idea for gate, security system and door contact integration. Connects to and powered from a RAK-LINK or RAK-STAR unit.	£196.00
WAVMI	Wired system interface for up to five mains-voltage inputs. Ideal for interfacing with a mains indoor or outdoor PIR sensor. Connects to and powered from a RAK-LINK or RAK-STAR unit. 6amp mains supply required.	£196.00
WP-CON	Single gang wired connection plate with an RJ11 socket. Complete with white plastic cover plate.	£47.00
WP-CONC	In-ceiling wired connection unit with RJ11 socket.	£44.00
WCM-D	Back-box mounting wired system interface for up to nine volt-free contact closure inputs. For use with conventional external push buttons/switches. LED feedback capability and connections for the RAKOM wired network. Fits within a 47mm UK back box.	£153.00
WAPIR	Wired system 360° ceiling mounted PIR sensor with integral daylight sensor. Includes WP-CONC connection unit for CAT5/6 connection.	£179.00
WANEX	Wired system network extender. Used to extend, link or split RAKOM wired networks.	£211.00
<u>EOS WALL CONTROLLER RANGE</u>		
EOS - NFC Wireless Control Panel Modules - Configurable (requires RAMPI or RK/WK-HUB)		
RK-EOS-6	Wireless EOS 6 button NFC configurable push button control module. Complete with 2x CR2016 lithium batteries. External aerial. Requires a separate RP-EOS-xx-xx cover plate kit. <i>(Can be used for both 3 and 6 button cover plate kits)</i>	£164.00
EOS - Wired Control Panel Modules - Configurable LED Backlit		
WK-EOS-6	Wired EOS 6 button control module, complete with removable CAT5e/6 cable punch down board. Each LED back-lit button is configurable using the RASOFTpro programming software. Requires a separate WP-EOS-xx-xx cover plate kit. <i>(Can be used for both 3 and 6 button cover plate kits)</i>	£198.00
EOS - All Metal Cover Plate Kits - Single Gang - 3 or 6 Button - Flush Mount (6)		
RP-EOS-xx-SC	Satin Chrome (Silk) cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-PC	Polished Chrome cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-AB	Antique Brass cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-PB	Polished Brass cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-BM	Matt Bronze cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-MB	Matt Black cover plate kit for EOS wireless control modules - Single Gang	£51.00
RP-EOS-xx-WH	Matt White cover plate kit for EOS wireless control modules - Single Gang	£51.00
WP-EOS-xx-SC	Satin Chrome (Silk) cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-PC	Polished Chrome cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-AB	Antique Brass cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-PB	Polished Brass cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-BM	Matt Bronze cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-MB	Matt Black cover plate kit for EOS wired control modules - Single Gang	£51.00
WP-EOS-xx-WH	Matt White cover plate kit for EOS wired control modules - Single Gang	£51.00
Standard button engraving options: (See EOS data sheet for further information)		
30 = 3 button - scenes 1, scene 2 & off icons		
31 = 3 button - raise, stop & lower icons		
60 = 6 button - scenes 1-3, raise, lower & off icons		
61 = 6 button - two sets of raise, stop & lower icons		
Other button options available to special order, please allow 6-8 weeks for delivery		
https://rakocontrols.com/support/plate-designer/		

Part Number	Description	Unit Price (GBP)
-------------	-------------	------------------

MODULAR WALL CONTROLLER RANGE

MODULAR - Wireless Control Panel Modules - Configurable (requires RAMPI or RK/WK-HUB)

RK-MOD-xxx-x	Wireless MODULAR NFC configurable push button control module. Complete with single gang uk backbox mount and 2x CR2016 lithium batteries. Black or White button options. External aerial. Separate cover plate surround kit required.	£175.00
---------------------	--	---------

Example: RK-MOD-040-B - 4 button - on, off, up & down buttons - Black finish

RK-MOD-060-W - 6 button - dual open, stop & close buttons - White finish

RK-MOD-070-B - 7 button - scenes 1-4, off, up & down buttons - Black finish

RK-MOD-110-B - 11 button - scenes 1-8, off, up & down buttons - Black finish

MODULAR - Wired Control Panel Modules - Configurable LED Backlit

WK-MOD-xxx-x	Wired system MODULAR control module, complete with single gang CAT5e/6 cable punch down mount. Each LED back-lit button is configurable using the RASOFTpro programming software. Black or White button options. Separate cover plate surround kit required.	£215.00
---------------------	---	---------

Example: WK-MOD-040-B - 4 button - on, off, up & down buttons - Black finish

WK-MOD-060-W - 6 button - dual open, stop & close buttons - White finish

WK-MOD-070-B - 7 button - scenes 1-4, off, up & down buttons - Black finish





WK-MOD-110-B - 11 button - scenes 1-8, off, up & down buttons - Black finish

See MODULAR control panel data sheets for further information

MODULAR - Cover Plate Surround Kit - Heritage Metal Finishes (6)

HS-MOD-SC	Satin Chrome (Silk) cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-PC	Polished Chrome cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-AB	Antique Brass cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-PB	Polished Brass cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-BM	Matt Bronze cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-MB	Matt Black cover plate kit for Modular control panel modules - Single Gang	£40.00
HS-MOD-WH	Matt White cover plate kit for Modular control panel modules - Single Gang	£40.00

Example layouts:



Part Number	Description	Unit Price (GBP)
CLASSIC WALL CONTROLLER RANGE		
CLASSIC - Wireless Control Panel Modules - Standard DIP Addressable		
RCM-xxx	Wireless push button control module, complete with 2x CR2016 lithium batteries. External aerial. Requires a separate cover plate kit. <i>Example: RCM-070 - 7 button - 4 scenes, off, master fade up and down buttons</i>	£131.00
CLASSIC - NFC Wireless Control Panel Modules - NFC Configurable (requires RAMPI dongle)		
RNC-xxx	Wireless NFC push button control module, complete with 2x CR2016 lithium batteries. External aerial. Requires a separate cover plate kit. <i>Example: RNC-070 - 7 button - 4 scenes, off, master fade up and down buttons</i>	£145.00
CLASSIC - Wired Control Panel Modules - CAT5/6 Configurable, LED Backlit		
WCM-xxx	Wired system push button control module, complete with removable CAT5e/6 cable punch down board. Each LED back-lit button is configurable using the RASOFTpro programming software. Requires a separate cover plate kit. <i>Example: WCM-070 - 7 button - 4 scenes, off, master fade up and down buttons</i>	£186.00
CLASSIC - Cover Plate Kit - Single Gang - Flush/Surface mounting, flat plate		
RVF-070-W	White ABS cover plate kit for RCM070 and RNC070 wireless control modules - Single Gang	£5.00
RVF-xxx-WM	White metal cover plate kit for RCM and RNC wireless control modules - Single Gang	£24.00
RVF-xxx-SS	Brushed stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£24.00
RVF-xxx-MSS	Mirrored stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£31.00
RVF-xxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Single Gang	£31.00
WVF-070-W	White ABS cover plate kit for WCM-070 wired control modules - Single Gang	£5.00
WVF-xxx-WM	White metal cover plate kit for WCM wired control modules - Single Gang	£24.00
WVF-xxx-SS	Brushed stainless steel cover plate kit for WCM wired control modules - Single Gang	£24.00
WVF-xxx-MSS	Mirrored stainless steel cover plate kit for WCM wired control modules - Single Gang	£31.00
WVF-xxx-PB	Polished brass cover plate kit for WCM wired control modules - Single Gang <i>Example: RVF-070-SS - Brushed stainless steel cover plate kit for RCM-070 or RNC-070</i>	£31.00
CLASSIC - Cover Plate Kit - Single Gang - Screwless, Crabtree Platinum, Flush Mount		
RLF-xxx-W	White ABS cover plate kit for RCM and RNC wireless control modules - Single Gang	£38.00
RLF-xxx-SS	Brushed stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£38.00
RLF-xxx-MSS	Mirrored stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLF-xxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLF-xxx-BN	Black nickel cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
WLF-xxx-W	White ABS cover plate kit for WCM wired control modules - Single Gang	£38.00
WLF-xxx-SS	Brushed stainless steel cover plate kit for WCM wired control modules - Single Gang	£38.00
WLF-xxx-MSS	Mirrored stainless steel cover plate kit for WCM wired control modules - Single Gang	£45.00
WLF-xxx-PB	Polished brass cover plate kit for WCM wired control modules - Single Gang	£45.00
WLF-xxx-BN	Black nickel cover plate kit for WCM wired control modules - Single Gang <i>Example: WLF-100-MSS - Mirrored stainless steel cover plate kit for WCM-100</i>	£45.00

Part Number	Description	Unit Price (GBP)
CLASSIC - Cover Plate Kit - Single Gang - Screwless, FocusSB Morpheus, Flush Mount		
RLM-xxx-WH	White metal cover plate kit for RCM and RNC wireless control modules - Single Gang	£38.00
RLM-xxx-SS	Satin stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£38.00
RLM-xxx-PS	Polished stainless steel cover plate kit for RCM and RNC wireless control modules - Single Gang	£38.00
RLM-xxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLM-xxx-BN	Black nickel cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLM-xxx-CB	Chocolate bronze cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLM-xxx-MB	Matt black cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
RLM-xxx-AB	Antique Brass cover plate kit for RCM and RNC wireless control modules - Single Gang	£45.00
WLM-xxx-WH	White metal cover plate kit for WCM wired control modules - Single Gang	£38.00
WLM-xxx-SS	Satin stainless steel cover plate kit for WCM wired control modules - Single Gang	£38.00
WLM-xxx-PS	Polished stainless steel cover plate kit for WCM wired control modules - Single Gang	£38.00
WLM-xxx-PB	Polished brass cover plate kit for WCM wired control modules - Single Gang	£45.00
WLM-xxx-BN	Black Nickel cover plate kit for WCM wired control modules - Single Gang	£45.00
WLM-xxx-CB	Chocolate bronze cover plate kit for WCM wired control modules - Single Gang	£45.00
WLM-xxx-MB	Matt black cover plate kit for WCM wired control modules - Single Gang	£45.00
WLM-xxx-AB	Antique Brass cover plate kit for WCM wired control modules - Single Gang	£45.00
<i>Example: WLM-100-BN - Black nickel cover plate kit for WCM-100 or WCM-101</i>		
CLASSIC - Cover Plate Kit - Double Gang - Flush mounting only, flat plate		
RVF-xxxxx-WM	White metal cover plate kit for RCM and RNC wireless control modules - Double Gang	£55.00
RVF-xxxxx-SS	Brushed stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£55.00
RVF-xxxxx-MSS	Mirrored stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£64.00
RVF-xxxxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Double Gang	£64.00
WVF-xxxxx-WM	White metal cover plate kit for WCM wired control modules - Double Gang	£55.00
WVF-xxxxx-SS	Brushed stainless steel cover plate kit for WCM wired control modules - Double Gang	£55.00
WVF-xxxxx-MSS	Mirrored stainless steel cover plate kit for WCM wired control modules - Double Gang	£64.00
WVF-xxxxx-PB	Polished brass cover plate kit for WCM wired control modules - Double Gang	£64.00
<i>Example: RVF-07000-SS - Brushed stainless steel cover plate kit for a single RCM-070</i>		
CLASSIC - Cover Plate Kit - Double Gang - Screwless, Crabtree Platinum, Flush mount		
RLF-xxxxx-W	White ABS cover plate kit for RCM and RNC wireless control modules - Double Gang	£83.00
RLF-xxxxx-SS	Brushed stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£83.00
RLF-xxxxx-MSS	Mirrored stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£89.00
RLF-xxxxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Double Gang	£89.00
RLF-xxxxx-BN	Black nickel cover plate kit for RCM and RNC wireless control modules - Double Gang	£89.00
WLF-xxxxx-W	White ABS cover plate kit for WCM wired control modules - Double Gang	£83.00
WLF-xxxxx-SS	Brushed stainless steel cover plate kit for WCM wired control modules - Double Gang	£83.00
WLF-xxxxx-MSS	Mirrored stainless steel cover plate kit for WCM wired control modules - Double Gang	£89.00
WLF-xxxxx-PB	Polished brass cover plate kit for WCM wired control modules - Double Gang	£89.00
WLF-xxxxx-BN	Black nickel cover plate kit for WCM wired control modules - Double Gang	£89.00
<i>Example: WLF-10070-SS - Brushed stainless steel cover plate kit for a WCM-100 and a WCM-070</i>		

Part Number	Description	Unit Price (GBP)
	CLASSIC - Cover Plate Kit - Double Gang - Screwless, FocusSB Morpheus, Flush Mount	
RLM-xxxxx-WH	White metal cover plate kit for RCM and RNC wireless control modules - Double Gang	£91.00
RLM-xxxxx-SS	Satin stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£91.00
RLM-xxxxx-PS	Polished stainless steel cover plate kit for RCM and RNC wireless control modules - Double Gang	£91.00
RLM-xxxxx-PB	Polished brass cover plate kit for RCM and RNC wireless control modules - Double Gang	£98.00
RLM-xxxxx-BN	Black nickel cover plate kit for RCM and RNC wireless control modules - Double Gang	£98.00
RLM-xxxxx-CB	Chocolate bronze cover plate kit for RCM and RNC wireless control modules - Double Gang	£98.00
RLM-xxxxx-MB	Matt black cover plate kit for RCM and RNC wireless control modules - Double Gang	£98.00
RLM-xxxxx-AB	Antique Brass cover plate kit for RCM and RNC wireless control modules - Double Gang	£98.00
WLM-xxxxx-WH	White metal cover plate kit for WCM wired control modules - Double Gang	£91.00
WLM-xxxxx-SS	Satin stainless steel cover plate kit for WCM wired control modules - Double Gang	£91.00
WLM-xxxxx-PS	Polished stainless steel cover plate kit for WCM wired control modules - Double Gang	£91.00
WLM-xxxxx-PB	Polished brass cover plate kit for WCM wired control modules - Double Gang	£98.00
WLM-xxxxx-BN	Black Nickel cover plate kit for WCM wired control modules - Double Gang	£98.00
WLM-xxxxx-CB	Chocolate bronze cover plate kit for WCM wired control modules - Double Gang	£98.00
WLM-xxxxx-MB	Matt black cover plate kit for WCM wired control modules - Double Gang	£98.00
WLM-xxxxx-AB	Antique Brass cover plate kit for WCM wired control modules - Double Gang	£98.00

Example: WLM-10000-BN - Black nickel cover plate kit for WCM-100 or WCM-101

Notes:

- (1) Separate 12v or 24v dc power supply (LED driver) required, suitable for the total connected lighting load. EG: RLED75CV1 would typically require a 75W 12vdc or 150W 24vdc LED driver.*
- (2) RAK8-MB is required for use with this item*
- (3) RVF-xxx-W and WVF-xxx-W available as special order items, please contact the Rako office.*
- (4) WMT-400 maximum load - 400w mains voltage halogen, 200w mains voltage dimmable LED*
- (5) RLC handheld enclosures require the purchase of an RCM or RNC wireless control module*
- (6) Matching socket, switch and furniture accessories to EOS and MODULAR are available from Heritage Brass. Please visit <https://www.m-marcus.com/electrical-products/winchester-range-screwless>*

For a list of compatible mains dimmable LED lamps/drivers, please visit [leds.rakocontrols.com](https://www.rakocontrols.com)